Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	169	@ay<"2001" and "709".clas. and ((call or phone) adj2 (forwarding))	US-PGPUB; USPAT	OR	ON	2005/01/10 09:33
S2 ·	1	@ay<"2001" and "709".clas. and ((call or phone) adj2 (forwarding)). ti.	US-PGPUB; USPAT	OR	ON	2005/01/09 19:06
S3	1	@ay<"2001" and "709".clas. and ((call or phone) adj2 (forwarding)). ti. not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/09 19:07
S4	166	@ay<"2001" and "709".clas. and ((call or phone) adj2 (forwarding)) not motorola.as.	US-PGPUB; USPAT	OR	ON	2006/02/08 15:46
S5	28	@ay<"2001" and "709".clas. and ((call or phone) adj2 (forwarding)) and (available and ("not available" or unavailable)) not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/09 19:08
S6	3	@ay<"2001" and "709".clas. and ((call or phone) adj2 (forward\$6)) and ((available and ("not available" or unavailable)) with forward\$6) not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/09 19:08
S7	3	@ay<"2001" and "709".clas. and ((call or phone) adj2 (forward\$6)) and ((available and ("not available" or unavailable)) with forward\$6) and (forward\$6 with (list or table or database)) not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/09 19:16
S8	3	@ay<"2001" and "709".clas. and ((call or phone) adj2 (forward\$6)) and ((available with forward\$6) and (("not available" or unavailable) with forward\$6)) and (forward\$6 with (list or table or database)) not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/09 19:22
S9	15	@ay<"2001" and ((call or phone) adj2 (forward\$6)) and ((available with forward\$6) and (("not available" or unavailable) with forward\$6)) and (forward\$6 with (list or table or database)) not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/09 20:05
S10	0	@ay<"2001" and ((call or phone) adj2 (forward\$6)).ti. and ((available with forward\$6) and (("not available" or unavailable) with forward\$6)) and (forward\$6 with (list or table or database)) not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/09 19:22

S11	0	@ay<"2001" and ((call or phone) adj2 (forward\$6)) and ((each or every) with forward\$6 with (list or file or table or log) with (phone or telephone or cellphone)) not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/09 20:13
S12	21	@ay<"2001" and ((call or phone) adj2 (forward\$6)) and ((each or every) with (list or file or table or log) with (phone or telephone or cellphone)) not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/09 21:02
S13	8	"6301609".pn. "6260148".pn. "5752191".pn."4677663".pn. "5579375".pn. "6005870".pn. "6147977".pn. "6249815".pn.	US-PGPUB; USPAT	OR	ON	2005/01/09 20:53
S14	7	("6301609".pn. "6260148".pn. "5752191".pn."4677663".pn. "5579375".pn. "6005870".pn. "6147977".pn. "6249815".pn.) not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/09 20:53
S15	1	S13 not S14	US-PGPUB; USPAT	OR	ON	2005/01/09 20:53
S16	19	@ay<"2001" and ((call or phone) adj2 (forward\$6 or transfer\$7)) and ((each or every) near7 (phone or telephone or cellphone) near7 (list or file or table or log)) not motorola. as.	US-PGPUB; USPAT	OR	ON	2005/01/09 21:06
S17	0	@ay<"2001" and ((call or phone) adj2 (forward\$6 or transfer\$7)) and ((within or in or at) near9 (each or every) near9 (phone or telephone or cellphone) near9 (list or file or table or log)) not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/09 21:17
S18	5	@ay<"2001" and ((call or phone) adj2 (forward\$6 or transfer\$7)) and ((within or in or at) with (each or every) near9 (phone or telephone or cellphone) near9 (list or file or table or log)) not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/09 21:10
S19	1159	@ay<"2001" and ((call or phone) adj2 (forward\$6 or transfer\$7)) and ((phone or telephone) with (transmit\$7 or send\$5 or maintain\$4 or contain\$4 or possess\$4) with (list or table or log or database or record)) not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/09 21:12

S20	36	@ay<"2001" and ((call or phone) adj2 (forward\$6 or transfer\$7)).ti. and ((phone or telephone) with (transmit\$7 or send\$5 or maintain\$4 or contain\$4 or possess\$4) with (list or table or log or database or record)) not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/09 21:16
S21	13	@ay<"2001" and ((call or phone) adj2 (forward\$6 or transfer\$7)).ti. and ((phone or telephone) near7 (transmit\$7 or send\$5 or maintain\$4 or contain\$4 or possess\$4) near7 (list or table or log or database or record)) not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/09 21:23
S22	19	@ay<"2001" and ((call or phone) adj2 (forward\$6 or transfer\$7)).ti. and ((phone or telephone) near7 (transmit\$7 or send\$5 or maintain\$4 or contain\$4 or possess\$4) near7 (list or table or log or database or record)) not motorola.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 21:21
S23	0	@ay<"2001" and ((call or phone) adj2 (forward\$6 or transfer\$7)) and ((within or in or at) near9 (each or every) near9 (phone or telephone or cellphone) near9 (list or file or table or log)) not motorola.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 21:21
S24	13	@ay<"2001" and ((call or phone) adj2 (forward\$6 or transfer\$7)).ti. and ((phone or telephone) near7 (transmit\$7 or send\$5 or maintain\$4 or contain\$4 or possess\$4 or submi\$9) near7 (list or table or log or database or record)) not motorola.as.	US-PGPUB; USPAT	OR	ON	2005/01/10 09:07
S25	1	us2002/0078151	US-PGPUB; USPAT	OR	ON	2005/01/10 09:08
S26	0	"Bryce C. Wickam"	US-PGPUB; USPAT	OR	ON	2005/01/10 09:08
S27	69	"Wickam"	US-PGPUB; USPAT	OR	ON	2005/01/10 09:08
S28	1	"Wickam" and "call forwarding"	US-PGPUB; USPAT	OR	ON	2005/01/10 09:32
S29	39	@ay<"2001" and "709".clas. and ((call or phone) adj2 (forwarding)) and ((prohibit\$4 or block\$4) with call\$4) and (authoriz\$9)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:33

S30	0	@ay<"2001" and "709".clas. and ((call or phone) adj2 (forwarding)). ti. and ((prohibit\$4 or block\$4) with call\$4) and (authoriz\$9)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:34
S31	15	@ay<"2001" and ((call or phone) adj2 (forwarding)).ti. and ((prohibit\$4 or block\$4) with call\$4) and (authoriz\$9)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:35
S32	10	@ay<"2001" and ((call or phone) adj2 (forwarding)).ti. and ((prohibit\$4 or prevent\$4) with call\$4) and (authoriz\$9)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:54
S33	14	@ay<"2001" and ((call or phone) adj2 (forwarding)).ti. and ((prohibit\$4 or screen\$4 or prevent\$4) with call\$4) and (authoriz\$9)	US-PGPUB; USPAT	OR	ON	2005/01/10 09:35
S34	1	"5465295".pn.	US-PGPUB; USPAT	OR	ON	2005/01/10 09:50
S35	0	"5465295".pn. and prevent\$4	US-PGPUB; USPAT	OR	ON	2005/01/10 09:50
S36	2	@ay<"2001" and ((call or phone) adj2 (forwarding)).ti. and ((prohibit\$4 or prevent\$4) with call\$4) and (authoriz\$9) and anonym\$9	US-PGPUB; USPAT	OR	ON	2005/01/10 09:54
S37	0	US20020147795A1	US-PGPUB; USPAT	OR	ON	2006/02/08 15:46
S38	1	"20020147795"	US-PGPUB; USPAT	OR	ON	2006/02/08 16:45
S39	1	"20020078151"	US-PGPUB; USPAT	OR	ON	2006/02/18 22:34
S40	1253	@ay<"2001" and (379/211.02,212. 01 or 370/259 or 455/414.1).ccls.	US-PGPUB; USPAT	OR	ON	2006/02/11 20:06
S41	586	@ay<"2001" and (379/211.02,212. 01 or 370/259 or 455/414.1).ccls. and ((present or presence or location) with (information or data))	US-PGPUB; USPAT	OR	ON	2006/02/11 20:08
S42	58	@ay<"2001" and (379/211.02,212. 01 or 370/259 or 455/414.1).ccls. and ((recipient or customer or clien) with (present or presence or location) with (information or data))	US-PGPUB; USPAT	OR	ON	2006/02/11 20:09
S43	75	@ay<"2001" and (379/211.02,212. 01 or 370/259 or 455/414.1).ccls. and ((recipient or customer or client) with (present or presence or location) with (information or data))	US-PGPUB; USPAT	OR	ON	2006/02/11 20:55

S44	58	@ay<"2001" and (379/211.02,212. 01 or 370/259 or 455/414.1).ccls. and ((recipient or customer)with (present or presence or location) with (information or data))	US-PGPUB; USPAT	OR	ON	2006/02/11 20:55
S45	58	@ay<"2001" and (379/211.02,212. 01 or 370/259 or 455/414.1).ccls. and ((recipient or customer) with (present or presence or location) with (information or data))	US-PGPUB; USPAT	OR	ON	2006/02/11 20:55
S46	15	@ay<"2001" and (379/211.02,212. 01 or 370/259 or 455/414.1).ccls. and ((retriev\$4 or send\$4 or transmit\$6 or transfer\$5 or download\$4) with ((recipient or customer) with (present or presence or location) with (information or data)))	US-PGPUB; USPAT	OR	ON	2006/02/18 21:53
S47	19	@ay<"2001" and (379/211.02,212. 01 or 370/259 or 455/414.1).ccls. and ((retriev\$4 or send\$4 or transmit\$6 or transfer\$5 or download\$4) with ((recipient or customer) with (present or presence or location or status) with (information or data)))	US-PGPUB; USPAT	OR	ON	2006/02/18 22:01
S48	15	@ay<"2001" and (379/211.02,212. 01 or 370/259 or 455/414.1).ccls. and ((retriev\$4 or send\$4 or transmit\$6 or transfer\$5 or download\$4) with ((recipient or customer) with (present or presence or location) with (information or data)))	US-PGPUB; USPAT	OR	ON	2006/02/18 22:01
S49	4	S47 not S48	US-PGPUB; USPAT	OR	ON	2006/02/18 22:01
S50	1	"6631186".pn.	US-PGPUB; USPAT	OR	ON	2006/02/18 22:35



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

. □ Search Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

Sun, 19 Feb 2006, 9:36:17 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- · Delete a search
- Run a search

Search Query Display

Recent Search Queries

- $\frac{\#1}{2}$ (((acd <and> (call <and> forwarding))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)
- ((((call <and> forwarding) <and> ((status <or> presence) <or>
 (data <or> information))) <in>metadata)) <and> (pyr >= 1950
 <and> pyr <= 2001)</pre>
- ((((call <and> forwarding) <and> ((status <or> presence) <or> #5 (data <or> information)) <and> (text <and> message)) <in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)
- ((((call <and> forwarding) <and> ((status <or> presence) <or>
 (data <or> information)) <and> ((configuration <or> preference) <and> (data <or> information)))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)</pre>
- ((((call <and> forwarding) <and> ((status <or> presence) <or>
 (data <or> information)) <and> (forward <and> list))
 <in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)</pre>
- ((((call <and> forwarding) <and> ((status <or> presence) <or>
 (data <or> information)) <and> (forward <and> list))
 <in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)</pre>
- ((((call <and> forwarding) <and> ((status <or> presence) <or>
 (data <or> information)) <and> (forward <and> list))
 <in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)</pre>
- #10 ((((call <and> forwarding) <and> ((status <or> presence) <or> (data <or> information)) <and> ((forward <or> forwarding) <and> (message <or> messaging)))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)
- #11 ((((call <and> forwarding) <and> ((status <or> presence) <or> (data <or> information)) <and> ((forward <or> forwarding) <and> (message <or> messaging)))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)